

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
30 June 2005 (30.06.2005)

PCT

(10) International Publication Number
WO 2005/059088 A1

(51) International Patent Classification⁷: **C12M 3/00**,
C12N 5/00

(74) Agent: ZISCHKA, Matthew; SMART & BIGGAR, 438
University Avenue, Suite 1500, Box 111, Toronto, Ontario
M5G 2K8 (CA).

(21) International Application Number:
PCT/CA2004/002138

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(22) International Filing Date:
17 December 2004 (17.12.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/530,614 19 December 2003 (19.12.2003) US

(71) Applicant (for all designated States except US): UNIVER-
SITY OF WATERLOO [CA/CA]; Technology Transfer &
Licensing Office, 200 University Avenue West, N1H1043,
Waterloo, Ontario N2L 3G1 (CA).


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (for US only): JERVIS, Eric
[CA/CA]; #4-415 Kingscourt Drive, Waterloo, Ontario
N2K 3R4 (CA). RAMUNAS, John [CA/CA]; 314 Kir-
choffer Avenue, Ottawa, Ontario K2A 1Y3 (CA).

[Continued on next page]

(54) Title: CULTURED CELL AND METHOD AND APPARATUS FOR CELL CULTURE



(57) Abstract: One or more cells can be cultured when confined in space by barriers. The distance between barriers can be comparable to the size of a cell to be cultured. The space between barriers can also be sufficiently small to allow control of cell properties or monitoring of the cell(s) cultured therein. The cell(s) may be confined completely or may be mobile between two opposing barrier surfaces. The gap between two opposing barriers may be sufficiently narrow to allow only a monolayer of cells to be cultured. A barrier can be transparent. The surfaces of the barriers may have one or more pre-selected characteristics that mimic the characteristics of a biological niche of the cell(s). The number of cells in a cell culture may be limited to permit control of properties of individual cells. The cultured cell(s) may be monitored, such as imaged, over a long period of time, using standard bright field or fluorescent imaging techniques.

WO 2005/059088 A1



Published:

- with international search report
- with amended claims

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Date of publication of the amended claims: 1 September 2005